

TABLE 3: DISCHARGES TO LAND AND WATER (WASTEWATER, DISCHARGE OTHER, DAIRY, LANDFILL, CONTAMINATED SITES, ANIMAL WASTE (CONTD) NOTES

- i. Discharges To Ground Domestic Dwelling
 - Low Sewage discharge from residential homes that do not meet the permitted activity criteria.
 - Medium Sewage or processing water (winery discharges etc) discharging less than 6cmpd.
 - High Sewage and processing water discharges between 6cmpd & 30cmpd; including poultry waste, piggery waste and other strong waste discharging less than 30cmpd.
 - Contaminated-Low Sewage, processing water, poultry, piggery and other strong waste discharging greater than 30cmpd, sludges at any rate.
 - Contaminated - Moderate Low risk of adverse environmental effects.
 - Moderate risk of adverse environmental effects.
- ii. Discharges to open coast and harbours
 - Low Includes discharges such as sediment laden water, seawater & uncontaminated cooling water.
 - Medium Includes discharges such as processing water & sewage less than 30cmpd.
 - High Includes discharges of sewage, poultry, piggery and processing water greater than 30 cmpd.
- iii. Discharges to streams /lake
 - Low Includes discharges such as contaminated stormwater, freshwater.
 - Medium Includes discharges such as sewage, poultry, piggery & processing water less than 30 cmpd.
 - High Includes discharges such as sewage, poultry, piggery, processing water greater than 30cmpd.
- iv. As not every type of contaminant, waste strength & flow rate can be detailed in the table above, those consents not described will be individually assessed at the time of granting. Details of the assessment will be stored on the consent file.
- v. For consents D1 to D15 any Administration, Monitoring and Supervision cost associated with water quality or effluent sampling and analysis will be recovered as an actual and reasonable additional charge (AR) in arrears.
- vi. One off approvals for discharge consents (ie management plans reviews etc) will be recovered as an actual and reasonable additional charge (AR) in arrears.
- vii. Consent for the discharge of contaminants onto or into land from an industrial or trade process as detailed in the Proposed Auckland Regional Plan: Air Land & Water will be charged as per Table 4 S16 of this Schedule.

Abbreviations

STP	Sewage Treatment Plant	RDC	Rodney District Council
cmpd	cubic metres per day	FDC	Franklin District Council
MCC	Manukau District Council	AR	Actual and Reasonable costs.
WCS	Watercare Services Ltd		