

**TABLE 1: TAKE, USE, DAM OR DIVERT WATER –
ADMINISTRATION, MONITORING AND SUPERVISION (AMS) CHARGE**

CONSENT CATEGORY	Administration, Monitoring and Supervision Charge /annum
TA8: VIP CONSENTS – TYPE 1	AR
TA9: VIP CONSENTS – TYPE 2	AR
TA10: IMPORTANT MONITORING CONSENTS (see Figure 1)	\$167.00
<u>CONSENTS TO TAKE OR DIVERT WATER FOR THE LISTED CATCHMENTS OR AQUIFERS:</u>	
<u>Surface Water Catchments</u>	
Any Take from stream flow or lake and greater than 50 cmpd	
<u>Aquifers (see Figure 1)</u>	
Tomarata Waitemata sandstone aquifer greater than 5000 cmp yr	
Omaha greater than 1,000 cmp yr	
Waiwera Geothermal, greater than 10 cmpd	
Parakai Geothermal, greater than 10 cmpd	
Kumeu Hobsonville Waitemata sandstone aquifer Zone 1A greater than 1000 cmp yr (between Riverhead, Brighams Creek, Nixon Road and Riverhead Road)	
Kumeu Hobsonville Waitemata sandstone aquifer zones 1B - 1F greater than 2,000 cmp yr	
Kumeu Hobsonville Waitemata sandstone aquifer zone 2 greater than 3,000 cmp yr	
Auckland Isthmus Groundwater greater than 20,000 cmp yr	
Waiheke Island greater than 2,000 cmp yr	
Manuaku Waitemata sandstone aquifer greater than 10,000 cmp yr (between Waokauri Creek, Puhinui Road, Redoubt Road, Hill Road, Wordsworth Road and Manukau Harbour)	
Manukau Kaawa aquifer greater than 10,000 cmp yr	
Clevedon Waitemata sandstone aquifer greater than 10,000 cmp yr	
Drury Sand-Volcanic aquifer (north of Maketu Road) greater than 2,000 cmp yr	
Franklin volcanic aquifers (Pukekohe, Bombay and Glenbrook) greater than 5,000 cmp yr	
Franklin Kaawa (Karaka, Pukekohe and Waiiau Pa-Glenbrook zones) greater than 5,000 cmp yr	
Franklin Kaawa (Bombay-Drury, Pukekohe West and Waiuku zones) greater than 10,000 cmp yr	

CONSENT CATEGORY	Administration, Monitoring and Supervision Charge /annum
South Auckland Waitemata sandstone aquifer greater than 20,000 cmp yr	
TA11: LOW IMPACT MONITORING CONSENTS	\$53.00
Consents to take or divert water that do not fall into any of the above categories and are not a named consent.	
TA12: DAM WATER	\$167.00
Consents to dam water that do not fall into any of the above categories and are not a named consent have a standard AMS charge.	
TA13: DAM WATER (Engineering inspection completed and dam fully compliant or Inspection not required)	\$ 53.00
Consents to dam water that do not fall into any of the above categories and are not a named consent have a standard AMS charge.	