

# Index

<u>Chapter/Section</u>	<u>Page number</u>
<b>Chapter 1</b>	<b>Introduction</b>
1.1	Objectives of these guidelines 1-1
1.2	What is the effect of impervious area on stormwater runoff 1-1
1.3	Managing stormwater 1-2
1.4	Regulatory framework 1-2
1.5	Technical objectives 1-4
1.5.1	Water quantity 1-4
1.5.2	Water quality 1-4
1.5.3	Aquatic resource protection 1-4
1.6	Structure of these guidelines 1-5
1.7	Statement of intent 1-6
<b>Chapter 2</b>	<b>Effects of land use on stormwater runoff</b>
2.1	Urbanisation 2-1
2.1.1	The hydrological cycle 2-1
2.1.2	Non-point source pollution 2-2
2.2	Key effects 2-2
2.3	Water quantity 2-3
2.3.1	General 2-3
2.3.2	Case study 2-3
2.3.3	Examples of effects 2-4
2.4	Water quality 2-6
2.4.1	General 2-6
2.4.2	What are the contaminants 2-6
2.4.3	Measurement of water quality effects 2-7
2.4.4	Examples of effects 2-8
2.5	Aquatic habitat 2-10
2.5.1	General 2-10
2.6	Bibliography 2-12
<b>Chapter 3</b>	<b>Stormwater management concepts</b>
3.1	Introduction 3-1
3.2	Stormwater management concepts 3-1
3.2.1	Overview 3-1
3.2.2	Site design 3-2
3.2.3	Use of existing site features 3-2
3.2.4	Reduce imperviousness 3-2
3.2.5	Clustering/lot configuration 3-3
3.2.6	Minimise site disturbance 3-3
3.2.7	Contamination control 3-3
3.2.8	Source control 3-4
3.2.9	Management practices 3-4
3.2.10	Treatment 3-4
3.3	Typical stormwater management practices 3-6

3.3.1	Water quality ponds	3-6
3.3.2	Wetlands	3-6
3.3.3	Detention practices	3-7
3.3.4	Filtration	3-7
3.3.5	Infiltration	3-7
3.3.6	Rain gardens	3-8
3.3.7	Biofiltration	3-8
3.3.8	Vegetative filters	3-8
3.3.9	Gross pollutant traps	3-9
3.4	Design basis of treatment practices	3-9
3.4.1	Resource consent applications	3-9
3.4.2	Water quality design	3-9
3.4.3	Stormwater quality design storm, $S_d$	3-10
3.4.4	Water quality volume, WQV	3-10
3.5	Modelling method	3-11
3.5.1	Manual method	3-11
3.6	Alternative methods of design	3-12
3.7	Relative levels of removal efficiency	3-12
3.8	Use of rainfall station data	3-13
3.8.1	Rainfall depth for stream bank erosion	3-13
3.9	Water quantity design	3-13
3.10	Summary	3-13
3.11	Good practice guidelines	3-14
3.12	Bibliography	3-14

## **Chapter 4      Choosing stormwater management devices**

4.1	Introduction	4-1
4.2	Regulatory objectives	4-1
4.2.1	Water quantity control	4-1
4.2.2	Water quality control	4-2
4.2.3	Aquatic ecosystem protection or enhancement	4-3
4.3	Stormwater practices	4-4
4.4	Site constraints	4-4
4.4.1	Catchment area	4-4
4.4.2	Soil type	4-5
4.4.3	Slopes	4-5
4.4.4	General constraints on treatment practices	4-6
4.5	Contaminant generation and removal process	4-7
4.6	Appropriate practice(s) for stormwater quantity/water quality/aquatic ecosystem	4-9
4.7	Which device	4-11
4.7.1	Example problem	4-12
4.8	The treatment train: which suite of practices suit your site	4-15
4.9	Device operation and maintenance	4-15
4.9.1	Spend a mental year at the practice	4-15
4.9.2	Who, what, when, where, and how	4-16
4.10	Bibliography	4-17

## **Chapter 5      Pond design, construction and maintenance**

5.1	Introduction	5-1
5.2	Water quantity/quality performance	5-1
5.2.1	Contaminant removal mechanism	5-1

5.2.2	Expected performance	5-2
5.2.3	Constraints on the use of ponds	5-3
5.3	Pond component disclaimer	5-3
5.4	Design approach	5-4
5.4.1	Objectives	5-4
5.4.2	Applicability	5-6
5.4.3	Safety Features	5-7
5.4.4	Aesthetics	5-8
5.5	Design procedure	5-8
5.5.1	Approach	5-8
5.5.2	Spillways and outlet capacity	5-9
5.5.3	Forebay	5-10
5.5.4	Hydraulic flow characteristics	5-10
5.5.5	Designs to avoid short-circuiting	5-13
5.5.6	Oil separation	5-13
5.5.7	Debris screens	5-13
5.5.8	Ease of maintenance	5-14
5.6	Pond and site design	5-14
5.6.1	Pond shape	5-14
5.6.2	Pond contours	5-14
5.6.3	Edge form	5-14
5.6.4	Islands	5-14
5.7	Landscaping	5-14
5.8	Construction	5-15
5.8.1	Important inspection aspects related to design	5-15
5.8.2	Important inspection aspects related to construction	5-15
5.8.3	As-built plans	5-16
5.9	Pond safety	5-17
5.10	Operation and maintenance	5-17
5.10.1	Aesthetic and functional maintenance	5-17
5.10.2	Other maintenance activities	5-21
5.11	Case Study	5-22
5.11.1	Pre-development condition	5-22
5.11.2	Post-development condition	5-23
5.11.3	Water quality volume	5-23
5.11.4	Extended detention volume	5-23
5.11.5	Outlet design storage	5-23
5-11	Bibliography	5-25
	Inspection forms and checklists for ponds	5-27

## **Chapter 6 Wetland design, construction and maintenance**

6.1	Introduction	6-1
6.2	Objectives	6-1
6.3	Advantages of constructed wetlands over unvegetated pond systems	6-2
6.4	Water quantity performance	6-3
6.5	Water quality performance	6-4
6.5.1	Sediments	6-4
6.5.2	Toxicity and biofilms	6-5
6.5.3	Nutrients	6-5
6.5.4	Contaminant removal efficiency	6-6
6.5.5	Constructed wetland design criteria	6-7

6.6	Applicability	6-7
6.7	Design approach	6-8
6.7.1	Outlet structure	6-9
6.7.2	Depths	6-9
6.7.3	Surface area and storage requirements	6-9
6.7.4	Forebay	6-10
6.8	Design procedure for a constructed wetland	6-12
6.9	Plants	6-12
6.9.1	Main wetland pond	6-12
6.9.2	Forebay	6-13
6.10	Construction	6-14
6.10.1	Important inspection aspects related to design	6-14
6.10.2	Important inspection aspects related to construction	6-15
6.11	Operation and maintenance	6-16
6.12	Case study	6-16
6.13	Bibliography	6-16

## **Chapter 7      Filtration design, construction and maintenance**

7.1	Introduction	7-1
7.2	Water quality performance	7-1
7.3	Design approach	7-3
7.3.1	Objectives	7-3
7.3.2	Applicability	7-4
7.4	Design procedure	7-5
7.4.1	Sand filter design procedure	7-5
7.4.2	Rain garden design	7-7
7.5	Plant material	7-9
7.6	Construction	7-12
7.6.1	Sand filters	7-12
7.6.2	Rain gardens	7-12
7.6.3	As-built plans	7-12
7.7	Operation and maintenance	7-13
7.7.1	Sand filters	7-13
7.7.2	Rain gardens	7-14
7.8	Case studies	7-15
7.8.1	Case Study 1 - Sand filter	7-15
7.8.2	Case Study 2 - Rain garden	7-15
7.9	Bibliography	7-16
	Inspection forms	7-17

## **Chapter 8      Infiltration design, construction and maintenance**

8.1	Introduction	8-1
8.2	Water quality performance	8-2
8.3	Applicability	8-2
8.3.1	Site characteristics	8-3
8.3.2	Pretreatment	8-4
8.4	Objectives	8-4
8.5	Design approach	8-4
8.5.1	Site characteristics	8-4
8.5.2	Procedure for conducting and infiltration test	8-5
8.5.3	Site data analysis	8-5

8.6	Design procedure	8-6
8.7	Construction	8-8
8.7.1	Characteristics of individual infiltration practices that warrant specific attention	8-9
8.7.2	As-built plans	8-12
8.8	Operation and maintenance	8-12
8.9	Case study	8-14
8.10	Bibliography	8-14
	Inspection forms	8-15

## **Chapter 9 Swale and filter strip design, construction and maintenance**

9.1	Introduction	9-1
9.2	Water quality performance	9-1
9.2.1	Suspended solids	9-2
9.2.2	Heavy metals	9-3
9.3	Applicability	9-3
9.4	Objectives	9-3
9.4.1	Swales	9-4
9.4.2	Filter strips	9-5
9.5	Design approach	9-5
9.5.1	Factors that improve performance	9-5
9.5.2	Factors that reduce performance	9-5
9.6	Design procedure	9-6
9.6.1	Initial steps	9-6
9.6.2	Design steps	9-7
9.6.3	Check for stability	9-9
9.7	Plant material	9-9
9.7.1	Wetting	9-9
9.7.2	Species	9-9
9.8	Wetland swales	9-9
9.9	Construction	9-10
9.9.1	Important inspection aspects related to design	9-10
9.9.2	Important inspection aspects related to construction	9-10
9.9.3	As-built plans	9-11
9.10	Operation and maintenance	9-12
9.11	Case study	9-13
9.12	Bibliography	9-14
	Inspection forms	9-16

## **Chapter 10 Oil and water separators**

10.1	Introduction	10-1
10.2	Types of oil and water separators	10-1
10.3	Water quality performance	10-1
10.4	Design approach	10-4
10.5	Design procedure	10-4
10.5.1	Design flow rate for oil and water separators	10-5
10.5.2	API (American Petroleum Institute) tank sizing	10-6
10.5.3	Coalescing collection plate sizing	10-7
10.5.4	Other design considerations	10-7
10.6	Construction inspection	10-7
10.7	Operation and maintenance	10-7

10.7.1	Surface oil removal	10-8
10.7.2	Sludge removal	10-8
10.7.3	Vapours	10-8
10.8	Case study	10-8
10.9	Bibliography	10-9

## **Chapter 11 Rainwater tanks design, construction and maintenance**

11.1	Introduction	11-1
11.2	Stormwater limitations of tanks	11-2
11.3	Performance	11-2
11.3.1	Water quality credit through water use	11-2
11.3.2	Water quality credit	11-3
11.3.3	Peak flow and extended detention attenuation	11-4
11.4	Design approach	11-6
11.4.1	Objectives	11-6
11.4.2	Applicability	11-6
11.5	Design procedure	11-7
11.5.1	Water quality credit through water use	11-7
11.5.2	Peak flow attenuation	11-8
11.5.3	Combined quality and attenuation	11-9
11.5.4	Aesthetics and optimum use of space	11-10
11.5.5	Other design considerations	11-11
11.6	Construction	11-14
11.6.1	Storage tanks	11-14
11.6.2	Attenuation storage outlet	11-14
11.6.3	Conveying	11-14
11.6.4	Backflow prevention	11-14
11.6.5	Minimum water level	11-14
11.6.6	Water supply outlet	11-14
11.6.7	As-built plans	11-15
11.7	Operation and maintenance	11-15
11.8	Design examples	11-15
11.9	Bibliography	11-17
	Inspection forms	11-20

## **Chapter 12 Greenroof design, construction and maintenance**

12.1	Introduction	12-1
12.2	Design approach	12-1
12.3	Applicability	12-2
12.3.1	Roof slope	12-2
12.3.2	Additional support considerations	12-2
12.3.3	Cost	12-3
12.4	Water quality performance	12-3
12.5	Greenroof components	12-3
12.5.1	Waterproof membrane system	12-4
12.5.2	Insulation layer	12-4
12.5.3	Drainage layer	12-5
12.5.4	Filter fabric membrane	12-5
12.5.5	Water storage and irrigation	12-6
12.5.6	Soil/growth medium	12-6
12.6	Design procedure	12-7
12.6.1	Initial steps	12-7

12.6.2	Design steps	12-7
12.7	Operation and maintenance	12-7
12.8	Case study	12-8
12.9	Bibliography	12-8

## **Chapter 13      Outlet protection**

13.1	Introduction	13-1
13.2	Objective	13-1
13.3	Design approach	13-2
13.3.1	Pipe grade	13-2
13.3.2	Outlet velocity	13-2
13.3.3	Riprap aprons	13-3
13.3.4	Engineered energy dissipators	13-3
13.3.5	Flow alignment and outfall setback in freshwater receiving environments	13-4
13.3.6	Erosion control in coastal receiving environments	13-4
13.4	Detailed Design	13-5
13.5	Construction	13-6
13.6	Operation and Maintenance	13-7
13.7	Bibliography	13-7

## **Chapter 14      Landscaping guidance for stormwater practices**

14.1	Introduction	14-1
14.2	Objective	14-1
14.2.1	Improve the aesthetic appeal of stormwater practices	14-2
14.2.2	Improve the water quality and ecological function of the practices	14-2
14.2.3	Increase the economic value of the site	14-2
14.3	Use of native species	14-2
14.4	General landscape guidance for all stormwater practices	14-3
14.4.1	Stormwater practice area	14-3
14.4.2	Landscape screening	14-3
14.4.3	Soils	14-3
14.4.4	Site preparation	14-3
14.4.5	Planting	14-4
14.4.6	General guidance	14-4
14.5	Specific landscape provisions for individual stormwater management practices	14-5
14.5.1	Ponds and wetlands	14-5
14.5.2	Infiltration and filter systems	14-6
14.5.3	Swales and filter strips	14-7
14.6	Bibliography	14-7

## **Chapter 15      Acceptance of innovative stormwater management practices**

15.1	Introduction	15-1
15.2	Objective	15-1
15.2.1	Stand alone practice	15-1
15.2.2	Pretreatment or retrofit	15-2
15.3	General information required from an applicant for approval of innovative systems	15-2
15.4	Information needed to judge adequacy of existing	15-3

or proposed monitoring data		
15.4.1	Catchment parameters	15-3
15.4.2	Practice design parameters (where applicable)	15-3
15.4.3	Water quality analysis	15-3
15.6	Discussion	15-4

# Tables

<u>Table</u>		<u>Page Number</u>
Table 2-1	Components of the hydrological cycle in Auckland	2-2
Table 3-1	Relative levels of removal efficiency	3-12
Table 4-1	Stormwater management practice versus catchment area for water quality treatment	4-5
Table 4-2	Stormwater management practices related to soils	4-6
Table 4-3	Constraints on use of stormwater treatment practices	4-7
Table 4-4	Contaminant loading ranges for various land uses	4-8
Table 4-5	Frequently detected priority contaminants of samples of NURP sites	4-8
Table 4-6	Industrial activity and commonly found contaminants	4-9
Table 4-7	Summary of contaminant removal mechanisms	4-10
Table 4-8	Water quantity effectiveness of stormwater management practices	4-11
Table 4-9	Potential contaminant removal effectiveness of stormwater management practices	4-12
Table 4-10	Potential secondary impacts of stormwater treatment practices	4-13
Table 5-1	Expected contaminant reduction range of ponds (in %)	5-2
Table 5-2	Stormwater treatment pond monitoring in Auckland	5-2
Table 5-3	TSS removal efficiencies for Auckland pond studies	5-3
Table 6-1	Overview of stormwater contaminant removal mechanisms	6-3
Table 6-2	Mean concentrations for the combined volumes of storms compared with 1994 study mean concentrations	6-6
Table 6-3	Summary of storm rainfall for Auckland	6-8
Table 7-1	Contaminant removal expectations (%)	7-3
Table 7-2	Trees and shrubs	7-10
Table 7-3	Grasses, ground covers, and other plants	7-11
Table 8-1	Long-term contaminant removal rates	8-2
Table 8-2	Infiltration rates from soil textural classes	8-2
Table 9-1	Design criteria	9-4
Table 10-1	Sediment and pool water quality found in oil and water separators at various locations	10-4
Table 10-2	Fraction of total rain depth corresponding to various rain intensities	10-6
Table 10-3	F factor for APIs	10-6
Table 11-1	Typical roof runoff quality	11-3
Table 11-2	Percent water capture	11-4
Table 11-3	Proportionate roof area to be treated by downstream treatment devices	11-7
Table 11-4	Estimated typical household water demand based on a total of 500 litres/day for a 3 member household	11-7
Table 11-5	Percent water supplied	11-9
Table 13-1	Maximum permissible velocities for unlined channels	13-3

# Figures

Figure 1-1	Regulatory framework	1-3
Figure 2-1	Pre-and post-development 50% and 10% hydrographs	2-3
Figure 2-2	Benthic community health	2-9
Figure 2-3	Tamaki River contamination gradient	2-9
Figure 3-1	Cluster development	3-3
Figure 3-2	Stormwater suspended solids	3-5
Figure 3-3	2 Year rainfall depth image	3-10
Figure 3-4	Summary of results	3-11
Figure 4-1	Slope versus available storage	4-6
Figure 4-2	Process of stormwater management practice evaluation and selection	4-14
Figure 5-1	Pond details	5-5
Figure 5-2	Schematic pond levels	5-9
Figure 5-3	Extended detention outlets	5-11
Figure 5-4	Trapezoidal weir	5-12
Figure 6-1	Wetland processes and components	6-4
Figure 6-2	Banded bathymetric wetland pond	6-10
Figure 6-3	Forebay schematic	6-11
Figure 7-1	Typical detail of a flow diversion structure	7-4
Figure 7-2	Sand filter schematic	7-5
Figure 7-3	Elevated outfall pipe to promote infiltration	7-7
Figure 7-4	Outfall pipe located at the bottom of the raingarden	7-8
Figure 8-1	U.S.D.A. soil textural triangle	8-5
Figure 8-2	Infiltration trench standard detail and shown with a pretreatment swale	8-6
Figure 8-3	Typical application for an infiltration trench	8-7
Figure 8-4	Typical detail for an infiltration drywell	8-7
Figure 8-5	Examples of modular paving	8-8
Figure 8-6	Standard detail for modular paving	8-8
Figure 9-1	Swale with flow diversion to inlet	9-3
Figure 9-2	Swale with check dam detail	9-6
Figure 9-3	Channel geometry	9-7
Figure 10-1	API separator schematics	10-2
Figure 10-2	Coalescing collection plate separator schematics	10-3
Figure 11-1	Commonly used components of a water tank	11-5
Figure 11-2	Method to calculate roof catchment area	11-8
Figure 11-3	Comparison for 150 m <sup>2</sup> roof	11-10
Figure 11-4	Comparison for 300 m <sup>2</sup> roof	11-11
Figure 11-5	Design charts	11-12
Figure 11-6	Screening devices and first flush diversion	11-13
Figure 11-7	Schematic arrangement at the attenuation storage orifice	11-13
Figure 12-1	Greenroof standard detail	12-2
Figure 13-1	Energy dissipation prior to stream entry	13-4
Figure 13-2	Schematic of outfall protection	13-5

# Plates

Plate 1-1	Flood flows in an urban environment	1-1
Plate 1-2	The key to stormwater management is outside the pipe: site design, source control and management practices should be the primary tools for stormwater management.	1-6
Plate 2-1	Typical phases of urbanisation - bush, pasture, subdivision, and mature urban	2-1
Plate 2-2	100% site imperviousness	2-2
Plate 2-3	Non point source contaminants	2-2
Plate 2-4	Extent of flooding	2-4
Plate 2-5	Channel constriction	2-4
Plate 2-6	Lack of freeboard	2-5
Plate 2-7	Channel erosion	2-5
Plate 2-8	Bank slumping	2-5
Plate 2-9	Channel incision	2-5
Plate 2-10	Urban stream where stability issues cause economic effects	2-6
Plate 2-11	Stream contaminants	2-8
Plate 2-12	Stream contaminants	2-8
Plate 2-13	Sediment	2-8
Plate 2-14	Litter	2-8
Plate 2-15	Stream structure	2-11
Plate 2-16	Barriers	2-11
Plate 2-17	Sedimentation	2-11
Plate 3-1	Chemical roof and bunding	3-4
Plate 3-2	Water quality ponds	3-6
Plate 3-3	Wetlands	3-6
Plate 3-4	Detention practices	3-7
Plate 3-5	Filtration	3-7
Plate 3-6	Infiltration	3-7
Plate 3-7	Rain gardens	3-8
Plate 3-8	Biofiltration	3-8
Plate 3-9	Vegetative filters	3-8
Plate 3-10	Gross pollutant traps	3-9
Plate 5-1	Innovative service outlet design where a pond is a community amenity	5-3
Plate 5-8	Example of a safety bench	5-8
Plate 5-3	Outlet structure showing multiple storm	5-22
Plate 6-1	Small well landscaped constructed wetland	6-3
Plate 6-2	Larger wetland providing stormwater and wildlife benefits	6-13
Plate 7-1	Unitec sand filter under construction	7-2
Plate 7-2	Example of a rain garden at a parking lot	7-3
Plate 8-1	Infiltration trench treating roadway runoff	8-1
Plate 8-2	Infiltration trench with a swale for pretreatment	8-3
Plate 8-3	Infiltration trench under construction	8-9
Plate 8-4	Infiltration dry well	8-10
Plate 8-5	Modular paving at the Auckland zoo	8-11
Plate 8-6	Example of a porous block parking area	8-12
Plate 8-7	Modular paving with pea gravel filler	8-13
Plate 9-1	Example of a well designed and maintained swale	9-2
Plate 9-2	Swale monitoring location south of Silverdale	9-4
Plate 9-3	Detail of a swale check dam	9-5
Plate 9-4	Swale level spreader to maintain dispersed flow in swale bottom	9-5

Plate 9-5	Wetland swale	9-9
Plate 9-6	Swale needing maintenance due to high sediment load	9-11
Plate 9-7	Woody vegetation may reduce grass filtering effectiveness	9-7
Plate 11-1	Rainwater tank on a residential property	11-1
Plate 11-2	Different types of rainwater tanks	11-6
Plate 12-1	Example of a green roof	12-1
Plate 12-2	Greenroof in an industrial area	12-3
Plate 12-3	Close up view of a varied vegetation on a greenroof	12-4
Plate 12-4	Wetland on a roof	12-5
Plate 12-5	Greenroof as an aesthetic feature	12-6
Plate 13-1	Example of riprap at a stormwater outfall	13-1
Plate 14-1	Example of a stormwater pond with little attention given to landscaping	14-1
Plate 14-2	Stormwater management pond with significant landscaping	14-3
Plate 14-3	A well landscaped stormwater management pond	14-4
Plate 14-4	Example of a pond having a good shape but no provision for landscape planting	14-5
Plate 14-5	Example of a dry extended detention pond with good landscaping	14-5
Plate 14-6	Well landscaped rain gardens in a commercial parking area	14-6
Plate 14-7	A well vegetated riparian corridor amenity to the community, amenity to the stream	14-7